

PPE PRODUCT GUIDE 2025/26





CONTENTS

| Anvil Shoes | 4-14 |
|---------------------------|-------|
| Weartech | 15-20 |
| Showa Gloves | 21 |
| Polyco Gloves | 22-25 |
| Ultragrip® Oven Mitts | 26 |
| Eaziclean Ovenware | 27 |
| Bunzl UK Ltd T/A | 28-30 |
| National Saftey | 28 |
| - Gloves | 28 |
| - Safety Hats | 29-30 |
| - Safety Headwear | 30 |
| - Safety Apron | 30 |
| - Over Jacket | 30 |
| - Hi-Vis Jackets | 31 |
| - Hi-Vis Trousers | 21 |





Welcome to this updated version of the Compass UK&I PPE catalogue. As ever within the hierarchy of risk mitigation, PPE is the last resort to reduce risk to a manageable level. Within the HSE Team we recognise that for PPE to be worn it must be fit for purpose, not only in reducing the likelihood and severity of injury, but also in being comfortable and practicable for the user. It is a manager's responsibility to ensure that their colleagues wear the appropriate PPE for the task. This can be found in the relevant Safety Task Card. We listen to your feedback and follow market trends to bring to you what we believe to be the latest clothing and equipment available; so please keep the feedback coming, because it enables us to provide for you what will keep you safe and send you home as fit as when you left it.



Mark Armstrong HSE & Technical Services Director



WORLD-LEADING SLIP-RESISTANT FOOTWEAR AND OUTSOLES FOR WORK.



FOR MORE INFORMATION

Want to know more about Anvil Traction? You can find us at **www.anviltraction.com**

FOLLOW US

@anviltraction

WHO WE ARE

Anvil Traction is part of the Tripal Group and has been trusted for over 30 years to design and develop work footwear for some of the world's best-known brands. We're proud to partner with Compass to provide colleagues with some of the safest and most comfortable footwear available on the market today.

With a focus on quality and style, Anvil Traction offers a diverse selection of footwear designed to meet the demands of various work environments, especially where protection from slippery surfaces is essential.

INNOVATION AND TECHNOLOGY



World Leading Traction Technology

Ethically Sourced

Accident Reduction 50%+

AT-GRIP™

Slip-resistant outsole technology that exceeds testing standards and reduces slips, trips and falls at work.

AT-COMFORT™



ISO 140001

Sustainable Materials

Rethink, Reduce, Recycle

Ergonomically designed footwear to maximise comfort, heel and arch support and cushioning.

AT-ENDURANCE™

Durability and abrasion resistant technology that increases the service life of the shoe.



Comfort

Design/Style

Well-being

AT-BIOFOAM™

Sustainable footbed technology with high rebound, made from 51% bio-based PU.

SOURCING AND SUSTAINABILITY

All our Anvil Traction footwear (Excluding the Alberta and This specially sourced and modified PU compound Ontario styles) feature our uniquely engineered **AT-BIOFOAM™** footbed, designed for enhanced comfort, underfoot support, performance, and sustainability.

delivers high rebound and improved durability, all while retaining the benefits of a sustainably made product.

KEY FEATURES

- High rebound compound
- 51% bio-based PU
- ESD



FREEWALK™ CLOG'BLACK

SAFETY RATING

OB A E SR

EN STANDARD

EN ISO 20347:2022

SIZE RANGE

UK3-13 (EU36-48)

WEIGHT

295G

(BASED ON A UK SIZE 8 AND EU 42)

KEY FEATURES

- Unisex
- Very breathable
- ESD
- Non-metallic
- Lightweight
- Antistatic
- Non-marking
- Washable at 40°
- Easy to clean/wipe down

An increased heel and forepart stack height delivers greater comfort during long hours on your feet. The closed heel design offers secure wear, whether you choose to use the strap or not. 14 strategically placed vents enhance breathability. Plus, an arch-supportive shape and built-in anti-fatigue technology provide lasting underfoot support.







PRODUCT CODE:

Lateral side

Medial side

Additional colourways available for the **FreewalkTM** clog are blue, green, orange and white. All available upon request.









ULTRAGRIP™ OUTSOLE

SLIP RESISTANCE Slip Resistance (Whole Footwear) (EN ISO 20344:2021, 5.14 & ISO 13287:2019) EUROTILE 2 WITH Nals 103% 64% 158% 100% FOREPART ANVIL TRACTION EXCEEDS BY



This outsole is used on the $Freewalk^{TM}$ only.

NO ONE DOES SLIP RESISTANCE LIKE WE DO.

At Anvil Traction, we manufacture and supply premium footwear that's engineered to grip and built to last.



ARIZONA

SAFETY RATING

OB E SRC

EN STANDARD

EN ISO 20347:2012

SIZE RANGE

UK3-13 (EU36-48)

WEIGHT

295G

(BASED ON A UK SIZE 8 `AND EU 42)

KEY FEATURES

- Unisex
- · Recycled mesh upper
- Recycled mesh lining and laces
- Very breathable
- Non-metallic
- Lightweight
- Antistatic
- Women's last used from sizes UK3-6 (EU36-40)



PRODUCT CODE: 03032

PRODUCT CODE:

PRODUCT CODE:

CALIFORNIA

SAFETY RATING

OB E SRC

EN STANDARD

EN ISO 20347:2012

SIZE RANGE

UK3-13 (EU36-48)

WEIGHT

335G

(BASED ON A UK SIZE 8 `AND EU 421

KEY FEATURES

- Unisex
- Recycled matte black microfibre
- Recycled mesh lining and laces
- Breathable
- Non-metallic
- Lightweight
- Antistatic
- Women's last used from sizes UK3-6 (EU36-40)



CALIFORNIA BW

SAFETY RATING

OB E SRC

EN STANDARD

EN ISO 20347:2012

SIZE RANGE

UK3-13 (EU36-48)

WEIGHT

335G

(BASED ON A UK SIZE 8 AND EU 42)

KEY FEATURES

- Unisex
- Recycled matte black microfibre
- Recycled mesh lining and laces
- Breathable
- Non-metallic
- Lightweight
- Antistatic
- Women's last used from sizes UK3-6 (EU36-40)

(When making orders, add the size after the dash, i.e. Q3122-3)



HYPERGRIP™ OUTSOLE

SLIP RESISTANCE EUROTILE 2 EUROTILE 2 WITH **GLYCEROL** 126% 100% 153% 100% HEEL FOREPART **FOREPART** ■ MINIMUM TESTING REQUIREMENT ■ ANVIL TRACTION EXCEEDS BY



This outsole is used on the following styles - Arizona, California, California BW, Prolite™ Trainer and Slip-on.

PROLITE™ TRAINER

SAFETY RATING

02 SR

EN STANDARD

EN ISO 20347:2022

SIZE RANGE

UK3-13 (EU36-48)

WEIGHT

360G (BASED ON A UK SIZE 8 AND EU 42)

KEY FEATURES

- Unisex
- Recycled matte black microfibre
- Recycled mesh lining and laces
- Non-metallic
- Lightweight
- Antistatic
- Water-resistant upper (Not waterproof)
- Women's last used from sizes UK3-6 (EU36-40)



PRODUCT CODE:

PRODUCT CODE: Q3008

PRODUCT CODE: Q2130

PROLITE™ SLIP-ON

SAFETY RATING

02 SR

EN STANDARD

EN ISO 20347:2022

SIZE RANGE

UK3-13 (EU36-48)

WEIGHT

350G

(BASED ON A UK SIZE 8 AND EU 42)

KEY FEATURES

- Unisex
- Recycled matte black microfibre
- Recycled mesh lining and laces
- Non-metallic
- Lightweight
- Antistatic
- Water-resistant upper (Not waterproof)
- Women's last used from sizes UK3-6 (EU36-40)



UTAH2

SAFETY RATING

01 FO SR

EN STANDARD

EN ISO 20347:2022

SIZE RANGE

UK3-13 (EU36-48)

WEIGHT

435G

(BASED ON A UK SIZE 8 AND EU 42)

KEY FEATURES

- Unisex
- Leather and mesh upper
- Mesh lining
- Breathable
- Non-metallic
- Lightweight
- Antistatic
- Made with specific men's-fitted last

(When making orders, add the size after the dash, i.e. 02130-3)

MAINE2

SAFETY RATING

06 FO LG SR

EN STANDARD

EN ISO 20347:2021 + A1:2024

SIZE RANGE

UK3-13 (EU36-48)

WEIGHT

575G

(BASED ON A UK SIZE 8 AND EU 42)

KEY FEATURES

- Unisex
- Full-grain leather upper
- Canvas insert
- Mesh lining
- Waterproof
- Non-metallic
- Antistatic
- Ladder grip outsole
- Fuel oil resistant outsole



OHIO

SAFETY RATING

S3 SRC

EN STANDARD

EN ISO 20345:2011

SIZE RANGE

UK3-13 (EU36-48)

WEIGHT

507G

(BASED ON A UK SIZE 8 AND EU 42)

KEY FEATURES

- Unisex
- Recycled matte black microfibre
- Recycled mesh lining
- Non-metallic
- Antistatic
- Composite toe protection
- Water-resistant upper (Not waterproof)
- Easy to clean



PRODUCT CODE:

PRODUCT CODE: Q3100

COLORADO

SAFETY RATING

S3 SRC

EN STANDARD

EN ISO 20345:2011

SIZE RANGE

UK3-13 (EU36-48)

WEIGHT

535G

(BASED ON A UK SIZE 8 AND EU 42)

KEY FEATURES

- Unisex
- Recycled matte black microfibre
- Recycled mesh lining
- Non-metallic
- Antistatic
- Composite toe protection
- Water-resistant upper (Not waterproof)
- Easy to clean



IDAHO

SAFETY RATING

S1P SRC

EN STANDARD

EN ISO 20345:2011

SIZE RANGE

UK3-13 (EU36-48)

WEIGHT

502G

(BASED ON A UK SIZE 8 AND EU 42)

KEY FEATURES

- Unisex
- Recycled black mesh upper
- Mesh lining
- Breathable
- Non-metallic
- Lightweight
- Antistatic
- Composite toe protection

(When making orders, add the size after the dash, i.e. 03100-3)

FLORIDA

SAFETY RATING

S1P SRC

EN STANDARD

EN ISO 20345:2011

SIZE RANGE

UK3-13 (EU36-48)

WEIGHT

535G

(BASED ON A UK SIZE 8 AND EU 42)

KEY FEATURES

- Unisex
- Recycled black mesh upper
- Mesh lining
- Breathable
- Non-metallic
- Lightweight
- Antistatic
- Composite toe protection



JACKSON2

SAFETY RATING

S1 FO SC SR

EN STANDARD

EN ISO 20347:2021 + A1:2024

SIZE RANGE

UK3-13 (EU36-48)

WEIGHT

520G (BASED ON A UK SIZE 8 AND EU 42)

KEY FEATURES

- Unisex
- Suede leather and mesh upper
- Mesh lining
- Non-metallic
- Antistatic
- Composite toe protection
- Scuff resistant toe cap
- Fuel oil resistant outsole



PLANE2™ OUTSOLE

SLIP RESISTANCE Slip Resistance (Whole Footwear) (EN ISO 20344:2021, 5.14 & ISO 13287:2019) EUROTILE 2 WITH Nals 97% 83% 121% 86% 121% FOREPART HEEL MINIMUM TESTING REQUIREMENT ANVIL TRACTION EXCEEDS BY



This outsole is used on the following styles - **Utah**2, **Ohio**, **Colorado**, **Idaho**, **Florida**, and **Jackson**2.

TOE CAPS AND WHY WE NEED THEM

At Anvil Traction we use **composite toe caps** in our safety footwear, all toe caps tested under **EN ISO 20345** are tested to the same criteria;

- Impact resistance 200J worth of protection. Equivalent to a 20kg weight dropped from 1m height onto the toe cap.
- Compression resistance 15KN compression test. Equivalent to 1.5 tonnes resting on the toe area.

Composite toe caps also have some other additional benefits:

- They are lighter than steel (Roughly 30%)
- They have good thermal insulation (Assists in maintaining the temperature of your feet in the hot and cold)

If you need more information on the exact test methods please get in touch!

LIGHTWEIGHT PROTECTION. MAXIMUM SAFETY.

Composite toe caps are fast becoming the go-to choice in safety footwear and offer more comfort due to their reduced weight and insulation from heat or cold.



HARTFORD2

SAFETY RATING

S3S FO LG SR

EN STANDARD

EN ISO 20347:2021 + A1:2024

SIZE RANGE

UK3-13 (EU36-48)

WEIGHT

625G

(BASED ON A UK SIZE 8 AND EU 42)

KEY FEATURES

- Unisex
- Leather upper
- Mesh lining
- Non-metallic
- Antistatic
- Composite toe protection
- Water-resistant upper (Not waterproof)
- Perforation resistant insole (Type PS - narrow nail)



TULSA3

SAFETY RATING

S3S FO LG SR

EN STANDARD

EN ISO 20347:2021 + A1:2024

SIZE RANGE

UK3-13 (EU36-48)

WEIGHT

565G

(BASED ON A UK SIZE 8 AND EU 42)

KEY FEATURES

- Unisex
- Leather upper
- Mesh lining
- Non-metallic
- Antistatic
- Composite toe protection
- Water-resistant upper (Not waterproof)
- Perforation resistant insole (Type PS - narrow nail)



CLIPPER2™ OUTSOLE

SLIP RESISTANCE ole Footweer) (EN ISO 20344:2021, 5.14 & ISO 13287:2019)

EUROTILE 2 WITH Nals

EUROTILE 2 WITH **GLYCEROL**

65%

HEEL



105%



73%

■ MINIMUM TESTING REQUIREMENT ■ ANVIL TRACTION EXCEEDS BY

FOREPART



This outsole is used on the following styles - Maine2, Hartford2, and Tulsa3.

COMFORT IN EVERY STEP. CONFIDENCE IN EVERY SHIFT.

From early starts to late finishes, our footwear keeps you protected, supported, and comfortable every step of the way.

INDIANA

SAFETY RATING

01 SR

EN STANDARD

EN ISO 20347:2022

SIZE RANGE

UK6-13 (EU40-48)

WEIGHT

438G

(BASED ON A UK SIZE 8 AND EU 42)

KEY FEATURES

- Premium full-grain Nappa leather
- Tan leather lining
- Non-metallic
- Lightweight
- Antistatic
- Breathable
- Made with specific men's-fitted last



PRODUCT CODE: Q2931

PRODUCT CODE:

TENNESSEE

SAFETY RATING

01 SR

EN STANDARD

EN ISO 20347:2022

SIZE RANGE

UK6-13 (EU40-48)

WEIGHT

465G

(BASED ON A UK SIZE 8 AND EU 42)

KEY FEATURES

- Premium full-grain Nappa leather
- Tan leather lining
- Non-metallic
- Lightweight
- Antistatic
- Breathable
- Made with specific men's-fitted last



MICHIGAN

SAFETY RATING

01 SR

EN STANDARD

EN ISO 20347:2022

SIZE RANGE

UK6-13 (EU40-48)

WEIGHT

435G


(BASED ON A UK SIZE 8 AND EU 42)

KEY FEATURES

- Premium full-grain Nappa leather
- Tan leather lining
- Non-metallic
- Lightweight
- Antistatic
- Breathable
- Made with specific men's-fitted last



BURLINGTON™ OUTSOLE





This outsole is used on the following styles - Indiana, Tennessee and Michigan

GEORGIA

SAFETY RATING

01 SR

EN STANDARD

EN ISO 20347:2022

SIZE RANGE

UK3-8 (EU36-42)

WEIGHT

320G


(BASED ON A UK SIZE 5 AND EU 42)

KEY FEATURES

- Premium full-grain Nappa leather
- Tan leather lining
- Non-metallic
- Lightweight
- Antistatic
- Breathable
- Made with specific women's-fitted last



CUBAN™ OUTSOLE





This outsole is used on the *Georgia* only.

CAROLINA

SAFETY RATING

01 SR

EN STANDARD

EN ISO 20347:2022

SIZE RANGE

UK3-8 (EU36-42)

WEIGHT

280G

(BASED ON A UK SIZE 5 AND EU 42)

KEY FEATURES

- Premium full-grain Nappa leather
- Tan leather lining
- Non-metallic
- Lightweight
- Antistatic
- Breathable
- Made with specific women's-fitted last



CARNABY™ OUTSOLE

SLIP RESISTANCE Slip Resistance (Whole Footween) (EN ISO 20344:2021, 5.14 & ISO 13287:2019) EUROTILE 2 WITH NALS 16% 8% 74% 64% FOREPART HEEL MINIMUM TESTING REQUIREMENT ANVIL TRACTION EXCEEDS BY



This outsole is used on the *Carolina* only.

















Tel: 03701 667277 Email: foodbuy.callcentre@bunzl.co.uk OUR MARKET-LEADING
OUTSOLE TECHNOLOGY
PROVIDES PREMIUM
COMFORT, DURABILITY AND
SAFETY.



WearerTech*

Compass have partnered with WearerTech to offer the best footwear options for all their members of staff.

WearerTech reduces pain for people who are on their feet all day at work, including a wide range of job roles, including catering, cleaning staff, porters, security staff, and engineers.



Using this research, WearerTech has developed a range of shoes that provide outstanding slip resistance and unbeatable comfort all day, reducing pain and discomfort.



Created in collaboration with Salford University using the science of biomechanics

Sustainability Loop

We care for people working on their feet all day at work, but we care about the planet too.

That's why we'll take back any WearerTech shoes back when they've reached their end of life and recycle them into something new, through our unique sustainability initiative.





Personalised Arch Support through our Modular Insole

Our innovative design allows you to switch your arch support effortlessly. It's a concept that redefines comfort, putting you in control of your footwear experience with every pair.

You can order replacement insoles at Lockharts, code: Q2908

HSE 5 Star Rated Non-Slip Sole

Our HSE-approved non-slip Ultra Grip sole provides you with the best slip resistance.

Whilst we're passionate about comfort and support, safety is not compromised.





The CustomPro Range

All products in our CustomPro range come with our innovative modular insole set which means you can get personalised arch support and maximum comfort, making these shoes an ideal choice for your staff's safety footwear requirements.

Certified to EN20347 OB E SRC

Unisex styles, sizes listed below All non-safety toes styles are machine washable to 40'C

When Ordering Footwear

Please quote the product code for the style required followed by a dash and the relevant size. E.g. For product code Q2915 in size 8, quote Q2915-8

Transform

A contemporary trainer designed especially for people on their feet all day, with our modular insole



Black with Black Sole

Sizes: 3-12

Code: Q2915



Black with White Sole

Sizes: 3-12

Code: Q2916

Relieve

A formal trainer designed especially for people on their feet all day, with our modular insole



Black with Black Sole

Sizes: 3-14 (Fourteen)

Code: Q2909



Black with White Sole

Sizes: 3-12

Code: Q2910



The CustomPro Range, continued

Certified to EN20347 OB E SRC

Unisex styles (except for Esquire) sizes listed below All non-safety toes styles are machine washable to 40'C

When Ordering Footwear

Please quote the product code for the style required followed by a dash and the relevant size. E.g. For product code Q2915 in size 8, quote Q2915-8

Rebound

A contemporary breathable, but waterproof, trainer designed especially for people on their feet all day, with our modular insole



Black with Black Sole

Sizes: 3-12

Code: Q3094

Vitalise

A unisex slip on shoe, designed especially for people on their feet all day, with our modular insole



Black with Black Sole

Sizes: 3-12

Code: Q2913

Esquire


A men's work shoe for working on your feet all day with our modular insole



Black with Black Sole

Sizes: 3-12

Code: Q3096



The CustomPro Safety Toe Range



All products in our CustomPro Safety Toe range offer fully certified toe protection and come with our innovative modular insole set which means you can get personalised arch support and maximum comfort, making these shoes an ideal choice for your staff's safety footwear requirements.

Certified to EN20345 SB E SRC

Unisex styles (except Enforcer) sizes listed below



Transform Safety Toe

A safety toe trainer designed to be lightweight and comfortable with the added support of the WearerTech modular insole system.



Sizes: 3-12

Code: Q2920



Relieve Safety Toe


A safety toe lace up shoe designed to

the added support of the WearerTech

be lightweight and comfortable with

Black with Black Sole

Sizes: 3-14 (Fourteen)







When Ordering **Footwear**

Please quote the product code for the style required followed by a dash and the relevant size. E.g. For product code Q2915 in size 8, quote Q2915-8

The CustomPro Safety Toe Range, continued



Rebound Safety Toe

A breathable, but waterproof, safety toe trainer designed to be lightweight and comfortable with the added support of the WearerTech modular insole system.



Black with Black Sole

Sizes: 3-12

Code: 03095

Vitalise Safety Toe

A unisex slip on safety toe shoe

designed to be lightweight and

comfortable with the added support of

the WearerTech modular insole system.

Black with Black Sole

Sizes: 3-12

Code: Q2918

Enforcer Safety Toe

A lightweight safety toe ankle boot with padded collar and fibreglass toe cap in sizes 6-14. Comfort and support provided by modular insole system.

Black with Black Sole Sizes: **6-14 (Fourteen)**

Code: Q3077



How to place your order

Visit www.lockhart.co.uk/wearertech. Make sure you log in to see the correct prices and products reflected in your contract. If you have any problems with logging into your account, please visit the Compass Foodbuy PPE page for further guidance.





Black Microvelour S3 SRC Non Slip Trainer Style Boot With Uvex Xenova Toe Cap

- Sporty, multifunctional safety shoes
- Especially lightweight and flexible



How to place your order

Visit <u>www.Lockhart.co.uk/Uvex</u>. Make sure you in to see the correct prices and products reflected in your contract. If you have any problems with logging into your account, please visit the compass Foodbuy PPE page for further guidance.



Eco Best Technology®

The environmental impact is the only difference

SHOWA's revolutionary Eco Best Technology® (EBT) offers the solution that makes a difference to the environment, without any compromise on protection and performance. Thanks to its special composition, our EBT gloves decompose within 1 to 5 years in active landfills*, where for non-EBT products this takes more than 100 years. Launched in 2012, our biodegradable nitrile gloves are the industry's first, and today, SHOWA offers the most extensive selection of biodegradable hand protection on the market.



Showa 731 EBT™

100% biodegradable nitrile mid-forearm gauntlet with Eco Best Technology®. Provides high levels of protection against solvents and acids.

- Suitable for use in wet, greasy δ oily environments
- High protection against solvents & acids
- Extra Grip
- Reusable
- Eco Best Technology® (EBT)
- 100% Nitrile

Order code: Q2524 Size: 6,7,8,9



Showa 7500PF™

Engineered with SHOWA's revolutionary Eco Best Technology® (EBT), the SHOWA 7500PF disposable glove is biodegradable, achieving 82% biodegradation in 386 days in a laboratory.

- Increased dexterity
- Flexible
- Textured Fingertips
- Eco Best Technology® (EBT)

Order code: Q2938 Size: xs,s,m,I,xI,xxI



EBT GLOVES DECOMPOSE WITHIN 1 TO 5 YEARS IN ACTIVE LANDFILLS, WHEREAS REGULAR NITRILE GLOVES NEED MORE THAN 100 YEARS.



✓ SKYTEC

Gauntlet range

Chemical-resistant gauntlet with a textured pattern on the palm. Flocklined for extra comfort.

- Textured palm θ fingertips for gripping in wet & dry conditions
- Resistant to a wide variety of chemicals and solvents
- Nitrile Coating
- EN374 and Category III approved

Size: 6,7,8,9,10

Tulsa™

Frisco™





Rialto™

Order code: Q2521 Order code: Q2520 Order code: Q2518


Skytec Michigan NTT™

Exceptional cut protection for the food industry

- Ambidextrous for easy and quick donning and doffing
- Cut resistant: Level E (EN 388:2016)
- 10 gauge medium weight glove for a comfortable wearing experience

Order code: Q2511 Size: 6,7,8,9,10,11





Polyflex® Eco: An Environmentally Conscious Range Of Gloves

Due to the increased awareness of plastic pollution in recent years, there is a growing demand and a genuine drive in the market to find innovative ways to deal with plastic waste.

Our **NEW** Polyflex® Eco range brings us a step closer to a more sustainable way of glove manufacturing and turns plastic waste into gloves.

Every step of the way, the Polyflex® Eco range of gloves is offering environmental benefits.

Through the entire life journey of the glove, PolyFlex® Eco will have less of an impact on our planet.

Key Facts

- Gloves are currently made from **virgin polyester** which is derived from oil.
- By not using virgin polyester we are using **less oil** per pair and the manufacturing process also requires **less water**
- The process of refining oil for polyester production releases carbon dioxide, using recycled PET uses less CO₂ per pair.
- Our plastic free packaging will ensure the residual packaging made of paper and card can easily be recycled for a new life cycle.

The Process







Polyflex® Eco Cut

Hydrophobic treated seamless knitted cut resistant liner, with foamed nitrile palm, touch sensitive fingertips and made in part from recycled plastic bottles





plastic free

18 gauge cut level F: Ultra-lightweight 18-gauge liner achieves the maximum achievable levels of cut resistance according to EN388:2016, and excellent abrasion and tear resistancey

Environmentally Conscious: Each pair of gloves contains 11 grams of recycled plastic bottles (PET), cutting down our reliance on virgin materials like oil based polyester

Touch Sensitive: Tactile touch sensitive fingertips enable the wearer to use touch screen machinery or devices with precision and without the need to remove the glove

Contact Heat Level 1: Heat resistant to contact heat level 1 to broaden real world application suitability

Reinforced Thumb Crotch: Flat nitrile reinforcement between the thumb and forefinger for additional protection in an area that is highly susceptible to wear and tear

Packaged plastic free: Polyflex® Eco Cut is packed without the use of plastic; reducing the overall weight of packaging

Water Repellent: The Hydrophobic solution; allows for comprehensive and robust 3-Dimensional water-resistant performance whilst maintaining maximum breathability

SilverClear® glove formulated from silver, a powerful and proven antimicrobial agent that inhibits bacterial, fungal and viral growth. The additive will protect the gloves from microbial growth but also from mold and bad odours avoiding premature material degradation and discoloration



| Code | Q2943 |
|-------|-------|
| Sizes | 6-11 |

Sectors

- Automotive Construction & Utility Engineering and Manufacturing
- Oil and Gas
 Waste Management and Local authority









Polyflex® Eco Therm

Thermal lined, seamless knitted liner made in part from recycled plastics, with a sandy latex coating.





Features

Environmentally Conscious: Each pair of gloves contains 24 grams of recycled plastic bottles (PET), cutting down our reliance on virgin materials like oil-based

Warm: Soft knitted thermal lining keeps hands exceptionally warm

Grip: The sandy latex coating has been specifically developed to resist abrasion, whilst maintaining superior grip and outstanding comfort and dexterity

Packaged plastic free: Polyflex® Eco Therm is packed without the use of plastic, reducing the overall weight of packaging.

Cut resistant: To ensure use in the widest range of sectors Polyflex® Eco Therm has been engineered to score a cut 3 against EN388 2016

Hot and Cold Contact Polyflex® Eco Therm has been engineered to protect against handling hot and cold objects


| Code | Q2944 |
|-------|-------|
| Sizes | 8-10 |

plastic free FRIENDLY A paper band bur





Sectors



















Polyco

Bakers Mitt™

Heavy duty terry cloth with integral liquid and steam barrier





Features

Heat Resistant: Tested to Level 2 (up to 250 $^{\rm o}{\rm C})$ for contact heat according to EN407

Resists Steam and Liquid: The innovative integral PVC barrier within the glove provides effective protection from liquids and steam

Protection: The heavyweight terry cotton outer shell offers good abrasion and cut resistance

Ambidextrous: Can be worn on either hand, extending the life of the glove Comfort: Soft fleecy lining for ultimate comfort

| Code | Q2205 |
|-------|----------|
| Sizes | One size |

Sectors

• Food Manufacturing and Preparation



Hot Glove[™]

Double layered cotton glove with nitrile grip coating



Features

Heat Resistant: Tested to Level 2 (up to 250°C) for contact heat according to EN407

Protection: Double layered cotton for extra protection and durability Grip: Nitrile grip pattern offers good grip for safer handling

Generous Fit: Easy on and off design

Ambidextrous: Can be worn on either hand, extending the life of the glove Range: Available in short (9010) and long (9011) lengths

| Code | Q2140 |
|-------|---------|
| Sizes | 7 and 9 |

Sectors

• Food Manufacturing and Preparation







Matrix® Air C3

Ultra-lightweight cut resistant liner with a polyurethane palm coating





Comfort: 18-gauge seamless knitted liner is ultra-lightweight, breathable and highly flexible, ensuring ultimate comfort at all times

Cut Resistant: Fine cut resistant yarn offers excellent cut resistance in a lightweight glove

Durable: Thin polyurethane coating in combination with the cut resistant liner delivers abrasion performance making the glove highly durable

Design: Combines tactility and protection meaning you no longer have to compromise on user comfort, safety or productivity

| Code | Q2942 |
|-------|-------|
| Sizes | 6-11 |

Sectors

- Automotive Construction & Utility Engineering and Manufacturing
- · Waste Management and Local authority











Grip It® Oil Gauntlet C1 (34cm)

Seamless knitted chemical resistant gauntlet with dual nitrile coating





Features

Handling: A flexible and robust glove that utilises two layers of nitrile coating to provide ultimate grip, abrasion protection and durability

Grip: The palm coating is infused with microfoam bubbles increasing resistance to oils and maximising grip in wet and oily handling environments

Chemical Resistance: Provides good protection against a wide range of chemicals, including strong detergents and oils

Comfort: Resilient dual nitrile coating and soft seamless knitted liner provides an ultimate level of comfort

Heat resistant up to 250°C or Contact Heat Level 2, EN:407:2004

| Code | Q2334 |
|-------|-------|
| Sizes | 8-11 |

Sectors

- Automotive Construction & Utility Engineering and Manufacturing
- Food Manufacturing and Prep Janitorial Warehousing, Transport and Logistics





















- Versatile Protection From -78°C to 260°C -Reinforced WebGuard™ fabric between thumb and forefinger offers heat and cold protection from --78°C to 260°C) for 15 seconds.
- Kevlar® Stitching Durable Kevlar® stitching ensures maximum protection against heat and steam.
- Non-Slip Grip Textured Neoprene® material provides superior grip in extreme temperatures.
- Sanitary Construction Stain and chemical resistant exterior is dishwasher safe for quick cleanup.
- Ambidextrous Design Accommodates both left and right hand use.
- Convenient hanging loop.





| KEY | CODE | DESCRIPTION | SELLING QTY | CASE QTY |
|-----|-------|-------------------------------------|-------------|----------|
| 1 | Q2946 | 13" Conventional UltiGrip Oven Mitt | Single | 1 |
| 2 | Q2527 | 15" Conventional UltiGrip Oven Mitt | Single | 1 |
| 3 | ED418 | 17" Conventional UltiGrip Oven Mitt | Single | 1 |
| 4 | Q2945 | 15" Puppet UltiGrip Oven Mitt | Single | 1 |
| 5 | Q2528 | 17" Puppet UltiGrip Oven Mitt | Single | 1 |





EAZICLEAN OVENWARE

Bonzer Eaziclean Ovenware has been created to protect kitchen professionals from heat, hot water and grease. The silicone mitt is fully CE certified and offers a high level of dexterity and comfort, including a 100% polycotton inner lining for the ultimate protection to both the front and back of hands. The 45cm gauntlet style sleeve adds an important forearm safety feature to the mitt when reaching into the deepest ovens. With Eaziclean technology it's as simple as washing your hands to keep them looking brand new!



Up to 250°c protection



Forearm protection



Excellent dexterity



Eaziclean silicone



EAZICLEAN HOT MITT



EAZICLEAN HOT GLOVE


- · 45cm gauntlet
- · One size
- · Sold as pair
- · Tested with Level 2 (up to 250°c) for contact heat in accordance with EN407:2020
- · 100% polycotton lining
- · Eaziclean silicone that washes away the toughest grease and grime with hot soapy water







| Product | Code | Sold as |
|---------------------|-------|---------|
| Eaziclean Hot Mitt | E1737 | Pair |
| Eaziclean Hot Glove | FA824 | Pair |







Versatouch Blu K/Wrist Gloves Dottpalm



For use alone or as a liner for handling frozen products or in a refrigerated or chilled conditions in non sterile and dry food handling.

Q2200

Nitrile Powder Free Disposable Glove



For protection against bacteria, fungi and virus. Achieves type C chemical resistance according to EN ISO 374-1.

Q2301

Orange PU Palm Coated Cut 3 Glove



Specially coloured cut resistant glove forms part of the tri-colour cut management programme.

Q2167

Black PU Palm Coated Black Glove



PU palm coated gloves, ideal for roles requiring excellent dexterity

Q2414

Hi-Quality Mens Kw Liner Glove



General purpose liner glove for use inside any glove where needed

Q2148

Superior Quality Rigger Gloves



General purpose work where abrasion resistance if needed but not high on cut, tear or puncture.

FB396 - L

Green Rubber Gloves



Natural rubber latex, tear and puncture resistant.

Q2157

Canadian H/Qred Back/Cuff Rigger



Rough handling tasks only where good abrasion and tear resistance needed, no liquid hazard and where dexterity is not important

E6806 - S

E6807 - M

E6808 - L

Chain Mail Gloves




Q2968

Shield Green Nitrile Industrial Glove



Achieves type A chemical resistance according to EN ISO 374-1, for protection against chemicals.


























Tasks where eye protection is required e.g. buildings maintenance, grounds maintenance, general maintenance, woodworking.

Q2143

UVEX Ultrasonic Safety Goggles Orange/Grey



Deep cleaning and beer pipe cleaning in establishments using light chemicals, general maintenance.

Q2722

Brown Hair Net (Pack 100)



Q2303

Keep Safe Clear Lens Safety Spectacles



Clear, Polycarbonate Lens, anti-scratch, lightweight, conforms to EN 166 1.F

EB198

Keep Safe Impact Direct Vent Safety Goggles Clear Lens



A tough polycarbonate lens that provides high resistance to impact from flying particles, ensuring optimal safety.

Q2941

Beard Snood Brown Nylon Mesh One Size



Clear, Polycarbonate Lens, anti-scratch, lightweight, conforms to EN 166 1.F





