

COSHH PRODUCT ASSESSMENT (HS/CPA/103/03 - July 2017)



The MSDS For This Product – Although It Is Not Specifically Required - Is Available from <https://safetydata.ecolab.eu/>

Product name and description:	
Product classification: (Ready to use)	Not a hazardous substance or mixture.
Product classification: (when diluted)	Not Applicable – ready to use product.

PPE required (diluted):
PPE required (concentrated):

Activity time per shift:	20 minutes	
Users:	Only Trained Personnel	
Frequency of use or task:	Hourly	
	Daily	X
	Weekly	
	Monthly	
	Infrequent	
Persons exposed:	Users and persons in vicinity	
Susceptible workers:	N/A	

First Aid Information:
Product Concentrated
At Use Dilution

MAXX WINDUS C2 – Glass cleaner - manual process.	
<u>Not a hazardous substance or mixture.</u>	 
You MUST refer to the CPAs & Task Cards for your PPE requirements.	

N/A – ready to use product
Not required under SDS. However Gloves are requirement for this product when used by ALL colleagues as per Compass policy and best practice.

Dilution: YES <input type="checkbox"/> No <input checked="" type="checkbox"/>
Procedure - Glass cleaning
Refer to the <u>Maxx Windus C2 Cleaning Glass & Hard Surfaces Task Card</u> for product application details.

Eye contact	Rinse with plenty of water.
Skin contact	Rinse with plenty of water.
If inhaled	Get medical attention if symptoms occur.
If swallowed	Rinse mouth. Get medical attention if symptoms occur.

Firefighting measures:
Special requirements:

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Store in a cool dry room. Do not mix with other chemicals.

Accidental Release Measures
<ul style="list-style-type: none"> • If an accidental release occurs ensure people and colleagues are moved away. • Ensure the spill is dealt with by trained colleagues (i.e. know how to deal with spills and how to use spill kits) and wear appropriate PPE. • Follow the Immediate Spill Response Plan contained within the Environment Toolkit and the Unit Managers Emergency Manual. • If you have any queries please contact your HSE Manager or the HSE Helpline on 0121 457 5194.